A State Targeted Response to the Opioid Crisis: What Missouri's Doing and Why




Rachel P. Winograd, PhD


Missouri Institute of Mental Health, University of Missouri-St. Louis

In partnership with

The Missouri Department of Mental Health, Division of Behavioral Health




Drugs involved in U.S. overdose deaths 2000 to 2016



SOURCE: CDC - NATIONAL CENTER FOR HEALTH STATISTICS


Total Number of
Opioid-Related
Overdose Deaths in 2016






Source: DHSS, 2017

2001-2015 Opioid Deaths Adjusted by Population (per 100,000)




^{*}Data sources: Department of Health and Senior Services (2016), Bureau of Vital Statistics(2016), Missouri Census Data Center (2016)

Missouri Regional Opioid Related Deaths from 2010-2016



^{*}Data sources: Department of Health and Senior Services (2016), Bureau of Vital Statistics(2016), Missouri Census Data Center (2016)


What & Where



Heroin Treatment Admissions

Rx Drug Treatment Admissions

Missouri Drug Overdose Deaths in 2016




Source: DHSS, 2017

A Focus on Heroin & Fentanyl in St. Louis

- ~70% of Opioid deaths in 2016 were in Eastern Region
- St. Louis has the 6th highest overdose rates of US cities...why?
- Increased purity, injection, combining drugs → higher risk




2016 Percent of Opioid Related Deaths in Missouri by Sex



^{*}Data sources: Department of Health and Senior Services (2016), Bureau of Vital Statistics(2016), Missouri Census Data Center (2016)

2016 Opioid Related Death Rate in Missouri by Race and Ethnicity



^{**}Ethnicity is separate from race, these individuals are also included somewhere in the race counts

^{*}Data sources: Department of Health and Senior Services (2016), Bureau of Vital Statistics(2016), Missouri Census Data Center (2016)

What's being done around the world to address the epidemic

Prevention

- Prescription drug monitoring
- Mental health parity laws
- Prescribing guidelines
- Alternative pain treatments

Treatment

 Expanded access to medical treatment for OUD

Harm Reduction

- Syringe access
- Safe consumption sites
- Good Samaritan laws
- Increased access to overdose education and naloxone

Recovery

Peer support, Community,
 Domains of health and wellness









Addressing Opioid Overdose

(Missouri Opioid & Heroin Overdose Prevention and Education) DMH + NCADA + MIMH

www.mohopeproject.org

Overdose knowledge and response trainings

- Emergent Use
 - Responders (police, fire...)
- Take-home Use
 - Substance Use Disorder treatment providers (therapists, physicians...)
 - People who use drugs, their families, and associates







State Targeted Response to the Opioid Crisis Grants (Opioid STR)



Missouri: $$10,015,898 \times 2 \text{ years} = $20,031,796$

Service grant; at least 76% for treatment & recovery support

Missouri's Plan

"Combined with coordinated collaboration and sophisticated evaluation,

The Opioid STR project aims to transform the system of care

for OUD in Missouri."



PREVENTION

- Promote opioid-related education in schools and communities
- Lead chronic pain management education for providers
- Provide increased access to overdose education and naloxone distributions for those at risk of experiencing or witnessing an opioid overdose

TREATMENT



- Recruit, train, and support providers for Medication Assisted Treatment (M
- Provide MAT for uninsured individuals with Opioid Use Disorder (OUD) that disease management model
- Supply hospital-based screening, treatment induction, and connection with in the St. Louis area, with statewide expansion
- Increase access to telemedicine for OUD treatment

RECOVERY

- Support safe and effective recovery housing
- · Build the workforce of certified peer specialists to help individuals meet the
- Promote wellness and recovery through recovery community centers in hig
 will reduce stigma and provide information, engagement, and support for lo

SUSTAINABILITY & COMMUNITY IMPACT

- Reduce the barriers to the provision of MAT and naloxone by changing Depa Health billing and service policies
- Provide education, training, and infrastructure support to ensure continuat treatment and recovery services following the conclusion of the Opioid STF
- Promote policy changes to reduce barriers and expand access to medication
 Medicaid

Opioid STR Prevention Efforts

 Implement evidence-based primary prevention school programming in two high need areas in the state

 Provide professional telehealth education and case consultation on chronic pain management in primary care settings

 Expand implementation of Overdose Education and Naloxone Distribution (OEND)



Community Pharmacy

NALOXONE EXPANSION

Program sponsored by






Opioid STR Treatment Efforts

 Primary goal: Increase access to medical treatment for uninsured individuals with opioid use disorder (OUD) through interdisciplinary provider training, direct service delivery, healthcare integration, and improved transitions of care.

- Agonist and partial-agonist evidence-based medications...
 - Primarily buprenorphine products (Suboxone)
- Too many specific treatment objectives to list...

OPIOID OVERDOSE DEATH RATE PER 1,000 PERSON YEARS AMONG 151,983 PEOPLE WITH OPIOID USE DISORDER SEEKING TREATMENT IN THE UNITED KINGDOM



Source: Pierce M, Bird SM, Hickman M, et al. Impact of treatment for opioid dependence on fatal drug-related poisoning: a national cohort study in England. Addiction. 2016;111(2):298-308.

Agonist therapy helps with more than "just" mortality

- Office-based Suboxone maintenance treatment ->
 - More likely to report AA affiliation (homegroup, sponsor, meeting attendance)
 - More likely to be employed
 - Less likely to report:
 - Damaging a close relationship
 - Doing regretful or impulsive things
 - Hurting family
 - Experiencing negative personality chan
 - Failing to do things expected of them
 - Taking foolish risks
 - Being unhappy
 - Having money problems
 - Less likely to use other substances
 - Less likely to use heroin



Treatment: Big Picture




*More buprenorphine prescribers

*OUD treated across care settings, bi-directional referrals


*Changing the standard of OUD care in SUD settings





Opioid STR Recovery Support Efforts

- Provide recovery housing for 500 individuals (per year)
- Use Peer Support Specialists with personal substance use experience
- Activate four recovery community centers in high-need areas of the state
- Provide recovery management checkups to keep individuals engaged in treatment



So where does that leave us?

How do we manage the opioid crisis?

Differently than we have been

In ways that benefit and include everyone who lives with addiction

Using methods to keep people alive, first and foremost

Thank you

MIMH Opioid STR Team:

Claire Wood, PhD

Phil Horn, MPH, MSW

Alex Duello, MPH

Lauren Green

Claire Ward, MSW

Keith Eldgridge

Umit Tokac, PhD

DMH Opioid STR Team:

Mark Stringer

Rick Gowdy, Ph.D

Nora Bock, MS, LPC

Tim Rudder, MSW,

Angeline Stanislaus, M.D.

Angie Stuckenschneider

Rosie Anderson-Harper, M.A.,

RSAP

Shumei Yun, MD, MPH, PhD

Renee Rothermich, M.A

Brent Murphy

...and so many partners!

Partners


- Missouri Coalition for Community Behavioral Healthcare
- Behavioral Health Network of Greater St. Louis
- Missouri Department of Health and Senior Services
- Missouri Hospital Association
- Missouri Network for Opiate Reform & Recovery
- St. Louis County Department of Public Health
- Community Academic Partnership on Addiction (CAPA), Washington University
- St. Louis College of Pharmacy
- Southern Illinois University-Edwardsville
- University of Kansas Medical Center
- Missouri Telehealth Network ShowME ECHO (University of Missouri-Columbia, University of Missouri-Kansas City,
- Missouri Primary Care Association
- NCADA, Community Partnership of the Ozarks
- Missouri Recovery Network
- Missouri Coalition of Recovery Support Providers
- MO HealthNet
- ...and many, many more!



Visit www.missouriopioidstr.org to learn more and sign up for our statewide listserv

Extra Slides





**The number of participants in each type of treatment varied in each month and is therefore not indicated in the figure; on average over the follow-up period, each month there were about 14.2% of the participants in BUP treatment, 38.5% in MET treatment, and 46.9% in neither BUP nor MET treatment.

Figure 4 Estimated days of opioid use by the types of treatment based on model 4 (n = 795)^{††}. BUP:buprenorphine; MET:methadone.

Hser, Yih-Ing, et al. "Long-term outcomes after randomization to buprenorphine/naloxone versus methadone in a multi-site trial." *Addiction* (2016).

Pain, Addiction, Depression, and Suicide

How many drug overdoses are actually suicides?



What's happening in MO?



- Greitens' and Cabinet's "#1" issue
- St. Louis County PDMP
- Rx data from Express Scripts
- SB 501 (911 Good Sam, Pharmacy Nlx, Courts, more)
- DMH grants...

70% of Overdose Deaths Occurred in the Eastern Region

Ranked by total number

Ranked by death rate

County	# of Overdose Deaths
St. Louis County	237
St. Louis City	182
Jefferson	80
St. Charles	69
Jackson	58

County	Overdose Death Rate per 100,000
St. Louis City	58.44
Franklin	35.98
Jefferson	35.68
St. Louis County	23.73
Lincoln	19.90

Source: DHSS, 2017

Example of Data Difficulty...

DHSS Data

- Uses residence of deceased
- Statewide by county
- MEs lack standardized toxicology

Medical Examiner Data


- Uses location of death
- Some counties test for Fentanyl

237 St. Louis County

182 St. Louis City


273 St. Louis City153 St. Louis County

2016 PERCENT OF TOTAL OPIOID RELATED DEATHS IN MISSOURI BY RACE



^{*}Data sources: Department of Health and Senior Services (2016), Bureau of Vital Statistics(2016), Missouri Census Data Center (2016)

2016 Missouri Census – Population Estimates by Race



^{*}Data sources: Missouri Census Data Center (2016)

Sustainability and Community Impact

<u>Primary goal:</u> Increase the likelihood of sustainability through policy and practice change

- MO HealthNet policy changes...
- Research and evaluation of effectiveness...
- Gain momentum to change reimbursement structures...

*Catalyze a culture and practice shift in the way we address opioid use...



What about social capital?





Missouri Opioid Crisis: Overdose Deaths

Data Sources: DHSS Bureau of Vital Statistics, 2017; Katz, 2017




Fentanyl was the main cause of overdose deaths nationally in 2016

County Rank by Death Rate

St. Louis City
Franklin
Jefferson
St. Louis County
Lincoln

County Rank by Total Number of Deaths

St. Louis County
St. Louis City
Jefferson
St. Charles
Jackson



Number of Opioid Overdose Deaths in 2016



93%
of opioid overdose
deaths were
accidental
in 2016

Who is Dying?

White individuals account for the MOST deaths, yet Black individuals are TWICE as likely to die from an overdose death given their proportion of the population in Missouri

Most deaths occur among 25-44 year olds





7 in 10 overdose deaths in Missouri occurred in St. Louis and surrounding counties



Heroin and fentanyl are the main causes of overdose deaths in urban areas





Missouri Opioid State Targeted Response





Missouri's Opioid State Targeted Response (STR) grant is funded by the Substance Abuse and Mental Health Services Administration (SAMHSA)

PREVENTION

- Promote opioid-related education in schools and communities
- Lead chronic pain management education for providers
- Provide increased access to overdose education and naloxone distribution for those at risk of experiencing or witnessing an opioid overdose

TREATMENT

- Recruit, train, and support providers for Medication Assisted Treatment (MAT) delivery
- Provide MAT for uninsured individuals with Opioid Use Disorder (OUD) that uses a chronic disease management model
- Supply hospital-based screening, treatment induction, and connection with community care in the St. Louis area, with statewide expansion
- Increase access to telemedicine for OUD treatment

RECOVERY

- Support safe and effective recovery housing
- Build the workforce of certified peer specialists to help individuals meet their recovery goals
- Promote wellness and recovery through recovery community centers in high-need areas. This will reduce stigma and provide information, engagement, and support for long-term recovery.

SUSTAINABILITY & COMMUNITY IMPACT

- Reduce the barriers to the provision of MAT and naloxone by changing Department of Mental Health billing and service policies
- Provide education, training, and infrastructure support to ensure continuation of effective treatment and recovery services following the conclusion of the Opioid STR grant period
- Promote policy changes to reduce barriers and expand access to medication for individuals on Medicaid

