

# 2018 Missouri Student Survey Bollinger County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	563	*	698
<b>Demographics (% reflects "yes" answer)</b>			
Grade level. 6th Grade	14.8%	15.3%	12.4%
Grade level. 7th Grade	15.3%	13.7%	15.5%
Grade level. 8th Grade	14.8%	14.0%	18.6%
Grade level. 9th Grade	15.7%	13.4%	12.4%
Grade level. 10th Grade	14.0%	13.7%	16.0%
Grade level. 11th Grade	11.8%	14.6%	14.9%
Grade level. 12th Grade	13.5%	15.2%	10.3%
Male	49.1%	49.7%	49.7%
Hispanic or Latino	0.9%	5.8%	0.5%
Race: Black or African American	0.4%	12.7%	0.5%
Race: White	97.8%	76.9%	97.9%
Race: Multiracial	1.3%	8.5%	1.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

\*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

## Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	14.6%	8.7%	13.0%
Used electronic cigarettes	16.1%	15.3%	11.3%
Used hookahs or water pipes	1.4%	2.6%	0.5%
Used alcohol	18.9%	14.5%	15.0%
Used marijuana	4.1%	6.5%	1.6%
Used inhalants	1.8%	1.1%	0.5%
Used Rx not prescribed for you by a doctor	6.9%	7.6%	8.3%
Used `OTC` to get high	2.8%	1.6%	2.1%
Used synthetic drugs	0.5%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<b><u>Substances: Ever in your life (% reflects "1+" answer)</u></b>			
Used cocaine or `crack`	0.5%	1.0%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	1.3%	0.5%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	0.5%
Used `club drugs` such as ecstasy	0.5%	0.9%	0.5%
<b><u>Behavior: Last 30 Days (% reflects "1+" answer)</u></b>			
Missed whole day(s) of school because you skipped or cut	35.5%	29.7%	31.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.2%	7.6%	6.8%
Rode with someone who was drinking alcohol	18.6%	15.1%	14.1%
<b><u>Behavior: Last 3 Months (% reflects "1+" answer)</u></b>			
Spread mean rumors or lies about other kids at school	26.1%	20.7%	22.8%
Posted something online or sent a text that might embarrass or hurt another student	15.9%	15.5%	16.0%
Made fun of other people	54.7%	51.1%	55.2%
Hit, shoved or pushed another student and was not just fooling around	19.1%	14.1%	15.6%
<b><u>Behavior: Last 12 Months (% reflects "1+" answer)</u></b>			
Been bullied on school property	38.1%	29.4%	32.6%
Was in a physical fight	20.5%	17.9%	14.0%
Been threatened or injured with a weapon on school property	5.8%	6.6%	5.7%
Seriously considered suicide	15.2%	14.1%	11.0%
Planned suicide	10.9%	10.9%	6.8%
Attempted suicide	5.4%	6.2%	4.7%
<b><u>Depression Scale (% often or always in Past Month)</u></b>			
Was very sad	28.6%	24.4%	21.8%
Was grouchy or irritable, or in a bad mood	37.7%	35.0%	28.6%
Felt hopeless about the future	16.6%	13.2%	10.9%
Felt like not eating or eating more than usual	26.9%	21.8%	19.7%
Felt like sleeping a lot more or a lot less than usual	31.7%	33.4%	20.3%
Had difficulty concentrating on school work	31.2%	29.6%	25.9%

	2018 Local Data	2018 MO Data	2016 County Data
<b><u>Parents' perception of wrongness (% reflects wrong + very wrong)</u></b>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.4%	93.9%	91.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	87.4%	93.8%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.1%	93.0%	97.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	95.6%	96.8%


<b><u>Friends' perception of wrongness (% reflects wrong + very wrong)</u></b>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	68.9%	79.4%	74.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	63.7%	75.2%	85.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.7%	71.1%	85.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.4%	87.8%	91.7%

<b><u>Perception of Availability (% very easy + sort of easy)</u></b>			
'Very' or 'sort of easy' to get cigarettes	50.2%	44.4%	44.8%
'Very' or 'sort of easy' to get alcohol	52.6%	48.9%	46.6%
'Very' or 'sort of easy' to get marijuana	30.2%	36.9%	18.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.9%	25.4%	21.6%

<b><u>Friends' perception of coolness (% reflects pretty cool + very cool)</u></b>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.1%	10.7%	6.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.3%	25.9%	13.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.1%	26.8%	22.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.6%	25.9%	8.3%

	2018 Local Data	2018 MO Data	2016 County Data
<b>Perception of Harm (% reflects slight risk + no risk at all)</b>			
'No' or 'slight risk' if they smoke e-cigarettes	43.5%	41.8%	36.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	22.5%	17.1%	15.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.4%	39.7%	30.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	45.0%	31.4%	36.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	37.3%	22.9%	28.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.4%	37.0%	21.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.0%	9.0%	7.3%
'No' or 'slight risk' if they use synthetic drugs	14.3%	12.7%	7.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.7%	21.6%	16.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.9%	13.1%	11.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact [Susan.Depue@mimh.edu](mailto:Susan.Depue@mimh.edu). State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



# Thank You!

Your Participation  
in the Missouri  
Student Survey is  
appreciated!