

# 2018 Missouri Student Survey Crawford County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	192	*	379
<b>Demographics (% reflects "yes" answer)</b>			
Grade level. 6th Grade	35.8%	15.3%	13.8%
Grade level. 7th Grade	19.5%	13.7%	18.0%
Grade level. 8th Grade	23.6%	14.0%	13.2%
Grade level. 9th Grade	0.0%	13.4%	17.2%
Grade level. 10th Grade	21.1%	13.7%	18.3%
Grade level. 11th Grade	0.0%	14.6%	9.3%
Grade level. 12th Grade	0.0%	15.2%	10.3%
Male	49.3%	49.7%	48.1%
Hispanic or Latino	0.9%	5.8%	1.1%
Race: Black or African American	0.0%	12.7%	0.3%
Race: White	97.0%	76.9%	97.6%
Race: Multiracial	0.5%	8.5%	1.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

\*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

## Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	21.6%	8.7%	13.3%
Used electronic cigarettes	6.5%	15.3%	11.1%
Used hookahs or water pipes	16.3%	2.6%	4.0%
Used alcohol	20.9%	14.5%	13.3%
Used marijuana	18.1%	6.5%	6.1%
Used inhalants	15.5%	1.1%	0.3%
Used Rx not prescribed for you by a doctor	20.7%	7.6%	7.7%
Used `OTC` to get high	15.4%	1.6%	0.8%
Used synthetic drugs	14.4%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<b><u>Substances: Ever in your life (% reflects "1+" answer)</u></b>			
Used cocaine or `crack`	14.2%	1.0%	0.8%
Used heroin or `smack`	13.8%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	14.5%	1.3%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	14.5%	0.3%	0.5%
Used `club drugs` such as ecstasy	14.4%	0.9%	1.3%
<b><u>Behavior: Last 30 Days (% reflects "1+" answer)</u></b>			
Missed whole day(s) of school because you skipped or cut	28.5%	29.7%	29.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	16.2%	7.6%	4.8%
Rode with someone who was drinking alcohol	23.0%	15.1%	13.3%
<b><u>Behavior: Last 3 Months (% reflects "1+" answer)</u></b>			
Spread mean rumors or lies about other kids at school	34.2%	20.7%	20.1%
Posted something online or sent a text that might embarrass or hurt another student	16.6%	15.5%	14.2%
Made fun of other people	58.3%	51.1%	50.7%
Hit, shoved or pushed another student and was not just fooling around	31.9%	14.1%	14.3%
<b><u>Behavior: Last 12 Months (% reflects "1+" answer)</u></b>			
Been bullied on school property	24.6%	29.4%	32.1%
Was in a physical fight	34.1%	17.9%	19.3%
Been threatened or injured with a weapon on school property	7.5%	6.6%	5.8%
Seriously considered suicide	18.2%	14.1%	11.1%
Planned suicide	16.0%	10.9%	6.5%
Attempted suicide	14.8%	6.2%	4.3%
<b><u>Depression Scale (% often or always in Past Month)</u></b>			
Was very sad	22.7%	24.4%	21.4%
Was grouchy or irritable, or in a bad mood	41.2%	35.0%	31.7%
Felt hopeless about the future	18.0%	13.2%	11.5%
Felt like not eating or eating more than usual	20.8%	21.8%	19.8%
Felt like sleeping a lot more or a lot less than usual	16.0%	33.4%	24.2%
Had difficulty concentrating on school work	34.3%	29.6%	28.6%

	2018 Local Data	2018 MO Data	2016 County Data
<b><u>Parents' perception of wrongness (% reflects wrong + very wrong)</u></b>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.9%	93.9%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.0%	93.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	79.3%	93.0%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.8%	95.6%	95.5%

<b><u>Friends' perception of wrongness (% reflects wrong + very wrong)</u></b>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	59.0%	79.4%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	57.5%	75.2%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	58.9%	71.1%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	72.0%	87.8%	91.0%

<b><u>Perception of Availability (% very easy + sort of easy)</u></b>			
'Very' or 'sort of easy' to get cigarettes	49.3%	44.4%	50.8%
'Very' or 'sort of easy' to get alcohol	43.1%	48.9%	51.1%
'Very' or 'sort of easy' to get marijuana	41.6%	36.9%	33.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	34.1%	25.4%	29.7%

<b><u>Friends' perception of coolness (% reflects pretty cool + very cool)</u></b>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	19.7%	10.7%	10.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.8%	25.9%	18.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.8%	26.8%	25.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	37.6%	25.9%	20.2%

	2018 Local Data	2018 MO Data	2016 County Data
<b>Perception of Harm (% reflects slight risk + no risk at all)</b>			
'No' or 'slight risk' if they smoke e-cigarettes	45.0%	41.8%	39.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	27.7%	17.1%	13.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	51.9%	39.7%	33.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	57.3%	31.4%	35.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	50.9%	22.9%	24.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	46.9%	37.0%	32.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	22.2%	9.0%	6.4%
'No' or 'slight risk' if they use synthetic drugs	38.9%	12.7%	6.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	34.5%	21.6%	17.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	25.3%	13.1%	10.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact [Susan.Depue@mimh.edu](mailto:Susan.Depue@mimh.edu). State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



# Thank You!

Your Participation  
in the Missouri  
Student Survey is  
appreciated!