

# 2018 Missouri Student Survey Daviness County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	269	*	201
<b>Demographics (% reflects "yes" answer)</b>			
Grade level. 6th Grade	11.9%	15.3%	14.3%
Grade level. 7th Grade	16.4%	13.7%	15.8%
Grade level. 8th Grade	16.9%	14.0%	14.3%
Grade level. 9th Grade	13.6%	13.4%	12.0%
Grade level. 10th Grade	12.4%	13.7%	17.3%
Grade level. 11th Grade	11.9%	14.6%	12.8%
Grade level. 12th Grade	16.9%	15.2%	13.5%
Male	49.7%	49.7%	50.4%
Hispanic or Latino	1.1%	5.8%	0.8%
Race: Black or African American	1.1%	12.7%	0.7%
Race: White	97.2%	76.9%	97.0%
Race: Multiracial	1.1%	8.5%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

\*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

## **Substances: Past 30 Days (% reflects "1+" answer)**

Used tobacco (cigarettes or chew)	15.3%	8.7%	18.7%
Used electronic cigarettes	11.9%	15.3%	3.7%
Used hookahs or water pipes	2.3%	2.6%	1.5%
Used alcohol	13.2%	14.5%	14.9%
Used marijuana	4.0%	6.5%	2.2%
Used inhalants	1.7%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	5.7%	7.6%	10.4%
Used `OTC` to get high	2.3%	1.6%	0.7%
Used synthetic drugs	0.6%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<b><u>Substances: Ever in your life (% reflects "1+" answer)</u></b>			
Used cocaine or `crack`	1.7%	1.0%	0.8%
Used heroin or `smack`	0.6%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	1.3%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	1.7%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.1%	0.9%	0.8%
<b><u>Behavior: Last 30 Days (% reflects "1+" answer)</u></b>			
Missed whole day(s) of school because you skipped or cut	28.1%	29.7%	21.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.0%	7.6%	5.3%
Rode with someone who was drinking alcohol	17.2%	15.1%	15.7%
<b><u>Behavior: Last 3 Months (% reflects "1+" answer)</u></b>			
Spread mean rumors or lies about other kids at school	17.6%	20.7%	26.1%
Posted something online or sent a text that might embarrass or hurt another student	14.7%	15.5%	15.8%
Made fun of other people	46.9%	51.1%	52.6%
Hit, shoved or pushed another student and was not just fooling around	10.2%	14.1%	9.1%
<b><u>Behavior: Last 12 Months (% reflects "1+" answer)</u></b>			
Been bullied on school property	34.1%	29.4%	27.6%
Was in a physical fight	16.9%	17.9%	15.7%
Been threatened or injured with a weapon on school property	4.0%	6.6%	6.7%
Seriously considered suicide	11.5%	14.1%	10.5%
Planned suicide	8.1%	10.9%	7.5%
Attempted suicide	5.7%	6.2%	5.3%
<b><u>Depression Scale (% often or always in Past Month)</u></b>			
Was very sad	18.2%	24.4%	18.7%
Was grouchy or irritable, or in a bad mood	31.1%	35.0%	29.1%
Felt hopeless about the future	10.9%	13.2%	9.7%
Felt like not eating or eating more than usual	19.3%	21.8%	20.1%
Felt like sleeping a lot more or a lot less than usual	29.1%	33.4%	21.1%
Had difficulty concentrating on school work	26.1%	29.6%	23.3%

	2018 Local Data	2018 MO Data	2016 County Data
<b><u>Parents' perception of wrongness (% reflects wrong + very wrong)</u></b>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.5%	93.9%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.8%	93.8%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.9%	93.0%	96.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	95.6%	96.9%
<b><u>Friends' perception of wrongness (% reflects wrong + very wrong)</u></b>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.0%	79.4%	77.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.3%	75.2%	86.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.4%	71.1%	86.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	87.8%	94.7%
<b><u>Perception of Availability (% very easy + sort of easy)</u></b>			
'Very' or 'sort of easy' to get cigarettes	43.1%	44.4%	46.2%
'Very' or 'sort of easy' to get alcohol	43.1%	48.9%	45.8%
'Very' or 'sort of easy' to get marijuana	26.3%	36.9%	23.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.1%	25.4%	21.5%
<b><u>Friends' perception of coolness (% reflects pretty cool + very cool)</u></b>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.6%	10.7%	8.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.9%	25.9%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.0%	26.8%	23.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.8%	25.9%	11.9%

	2018 Local Data	2018 MO Data	2016 County Data
<b>Perception of Harm (% reflects slight risk + no risk at all)</b>			
'No' or 'slight risk' if they smoke e-cigarettes	33.7%	41.8%	30.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	11.9%	17.1%	12.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.4%	39.7%	33.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.6%	31.4%	35.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.9%	22.9%	27.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.1%	37.0%	21.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.5%	9.0%	8.2%
'No' or 'slight risk' if they use synthetic drugs	10.3%	12.7%	11.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.8%	21.6%	17.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.0%	13.1%	12.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact [Susan.Depue@mimh.edu](mailto:Susan.Depue@mimh.edu). State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



# Thank You!

Your Participation  
in the Missouri  
Student Survey is  
appreciated!