

# 2014 Missouri Student Survey Clark County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	139	66,629	
<b>Demographics (% reflects "yes" answer)</b>			
2. Grade level. 6th Grade	0.0%	14.8%	2012 Data not available for this County
2. Grade level. 7th Grade	0.0%	14.3%	
2. Grade level. 8th Grade	0.0%	15.2%	
2. Grade level. 9th Grade	70.9%	21.3%	
2. Grade level. 10th Grade	25.3%	12.2%	
2. Grade level. 11th Grade	2.5%	12.6%	
2. Grade level. 12th Grade	1.3%	9.6%	
3. Male	43.6%	47.7%	
4. Hispanic or Latino	0.0%	2.5%	
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	
5. Race, alone or in combination. White	100.0%	85.5%	
5. Race, alone or in combination. Other	0.0%	1.6%	

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

<b>Substances: Ever in your life (% reflects "1+" answer)</b>			
46c q47a. Used tobacco (cigarettes or chew)	25.3%	22.7%	
48b. Used electronic cigarettes	15.4%	16.0%	
49b. Used hookahs or water pipes	7.7%	11.3%	
50c. Used alcohol	49.4%	33.3%	
51b. Used marijuana	12.7%	15.2%	
52a. Used inhalants	3.8%	2.9%	
53a. Used RX not prescribed for you by a doctor	16.7%	7.4%	
54a. Used `OTC` drugs for non-medical reasons	6.4%	2.9%	
56a. Used cocaine or `crack`	0.0%	1.1%	
56b. Used heroin or `smack`	0.0%	0.3%	
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	5.1%	1.9%	
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	

	2014 County Data	2014 MO Data	2012 County Data
<b>Behavior: Last 30 Days (% reflects "1+" answer)</b>			
13. Missed whole day(s) of school because you skipped or cut	20.3%	26.1%	
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.5%	4.9%	
25. Carried a weapon such as a gun, knife or club on school property	3.8%	4.5%	
50b. Rode with someone who was drinking alcohol	20.8%	16.0%	
<b>Behavior: Last 3 Months (% reflects "1+" answer)</b>			
17. Been suspended from school	1.3%	3.8%	
22b. Posted something online or sent a text that might embarrass or hurt another student	24.1%	16.8%	
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.1%	24.4%	
<b>Behavior: Last 12 Months (% reflects "1+" answer)</b>			
23. Been bullied on school property	22.1%	31.2%	
26a. Were in a physical fight	12.8%	19.1%	
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.8%	6.3%	
35. Considered suicide	7.7%	11.7%	
36. Planned suicide	7.6%	8.6%	
37. Attempted suicide	1.3%	5.0%	
<b>Friends' perception of coolness (% reflects pretty cool + very cool)</b>			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	5.2%	9.6%	
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	29.5%	22.7%	
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	21.8%	20.1%	
<b>Friends' perception of wrongness (% reflects wrong + very wrong)</b>			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	67.9%	74.2%	
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.8%	78.4%	
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	83.5%	75.9%	
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.7%	88.5%	

	2014 County Data	2014 MO Data	2012 County Data
<b>Parents' perception of wrongness (% reflects wrong + very wrong)</b>			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	96.2%	93.2%	
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.8%	81.6%	
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.6%	
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	97.4%	92.6%	
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.4%	94.4%	

**Perception of Harm (% reflects slight risk + no risk at all)**

**NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk**

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	53.8%	39.7%	
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	36.7%	28.1%	
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	7.6%	14.3%	
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.9%	35.6%	
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	1.3%	8.5%	
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.0%	10.8%	
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	29.5%	20.5%	
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	5.1%	14.1%	

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.  
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at [susan.depue@mimh.edu](mailto:susan.depue@mimh.edu) with any questions.