

Male

Hispanic or Latino

Race, alone or in combination. Black or African Am.

Race, alone or in combination. Other

2016 Missouri Student Survey Washington County





2016 2016 2014 County Data MO Data* County Data

47.7%

2.1%

16.0%

78.8%

1.2%

50.3%

0.3%

2.6%

92.5%

1.3%

Approximate Sample Size	427		
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	13.6%	13.9%	
Grade level. 7th Grade	15.7%	14.4%	
Grade level. 8th Grade	11.0%	14.3%	
Grade level. 9th Grade	22.3%	15.2%	2014
Grade level. 10th Grade	11.0%	14.7%	Data not
Grade level. 11th Grade	14.7%	13.9%	available
Grade level. 12th Grade	11.8%	13.6%	for this County

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

^{*}Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 days (% reflects "1+" answer)			
Used alcohol	19.1%	14.2%	
Used electronic cigarettes	20.3%	10.6%	
Used Rx not prescribed for you by a doctor	12.5%	10.0%	
Used tobacco (cigarettes or chew)	13.5%	9.9%	
Used marijuana	6.0%	7.0%	
Used hookahs or water pipes	4.2%	3.4%	
Used 'OTC' drugs for non-medical reasons	2.6%	2.2%	
Used inhalants	1.0%	1.1%	
Used synthetic drugs	0.5%	0.3%	

	2016 County Data	2016 MO Data *	2014 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.1%	1.1%	
Used cocaine or 'crack'	0.5%	0.9%	
Used 'club drugs' such as ecstasy	0.8%	0.8%	
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	
Used heroin or 'smack'	0.5%	0.2%	
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	36.5%	29.0%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.1%	5.9%	
Carried a weapon such as a gun, knife or club on school property	2.1%	4.0%	
Rode with someone who was drinking alcohol	17.5%	14.3%	
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	20.8%	22.9%	
Posted something online or sent a text that might embarrass or hurt another student	18.7%	16.5%	
Made fun of other people	47.8%	54.1%	
Hit, shoved, or pushed another student and was not fooling around	20.9%	15.5%	
Behavior: Last 12 Months (% reflects "1+" answer)			
Been bullied on school property	37.2%	28.8%	
Were in a physical fight	19.5%	17.3%	
Been threatened or injured with a weapon such as a gun, knife or club on school property	8.9%	7.4%	
Considered suicide	13.2%	13.9%	
Planned suicide	9.9%	9.9%	
Attempted suicide	7.3%	6.3%	
Depression: Past Month (% reflects often + always)			
Was very sad	27.5%	22.7%	
Was grouchy or irritable, or in a bad mood	42.1%	33.6%	
Felt hopeless about the future	16.8%	13.5%	
Felt like not eating or eating more than usual	27.2%	21.7%	
Felt like sleeping a lot more or a lot less than usual	27.3%	24.8%	
Had difficulty concentrating on school work	36.1%	29.6%	

	2016 County Data	2016 MO Data *	2014 County Data
Perception of wrongness (% reflects wrong + very wrong)		
'Wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.7%	94.0%	
'Wrong' or 'very wrong' to use Cold/Cough Medicines or OTC meds to get high	92.9%	92.3%	
'Wrong' or 'very wrong' to have 5+ drinks, once or twice a week	82.9%	88.7%	
'Wrong' or 'very wrong' for you to smoke tobacco	83.8%	88.4%	
'Wrong' or 'very wrong' for you to take one or two drinks of an alcoholic beverage nearly every day	82.0%	86.8%	
'Wrong' or 'very wrong' for you to smoke marijuana once or twice a week	80.3%	81.1%	
'Wrong' or 'very wrong' to smoke e-cigarettes	69.5%	79.2%	
'Wrong' or 'very wrong' for you to smoke marijuana	80.0%	79.0%	
'Wrong' or 'very wrong' for you to have a drink of any type of alcohol	62.0%	68.1%	
Availability (% reflects very easy + sort of easy)			
'Very' or 'sort of easy' to get Cold/Cough Medicines or OTC medicines	53.5%	51.6%	
'Very' or 'sort of easy' to get alcohol	61.0%	50.7%	
'Very' or 'sort of easy' to get cigarettes	51.9%	46.0%	
'Very' or 'sort of easy' to get e-cigarettes	53.2%	43.1%	
'Very' or 'sort of easy' to get marijuana	44.4%	37.2%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	33.5%	27.7%	
'Very' or 'sort of easy' to get synthetic drugs	29.0%	22.0%	
'Very' or 'sort of easy' to get other illegal drugs	19.6%	14.0%	
Perception of Coolness (% reflects pretty cool + very cool	<u>ol)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	28.2%	24.9%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.6%	24.8%	
Peers believe someone your age would be'pretty cool' or 'very cool' if they smoked e-cigarettes	31.7%	17.0%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	16.1%	9.1%	

Perception of Harm (% reflects slight risk + no risk at all) NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk 'No risk at all' or 'slight risk' if they smoke e-cigarettes 47.8% 40.6% 'No risk at all' or 'slight risk' if they smoke marijuana 33.0% once or twice a week 36.5% 'No risk at all' or 'slight risk' if they drink alcohol (no 32.8% 33.7% dosage specified) 'No risk at all' or 'slight risk' if they take one or two 39.5% 29.4% drinks of an alcoholic beverage nearly every day 'No risk at all' or 'slight risk' if they use Cold/ Cough 22.7% 22.4% Medicines or OTC medicines to get high 'No risk at all' or 'slight risk' if they have five or more 26.6% 21.5% drinks of an alcoholic beverage once or twice a week 'No risk at all' or 'slight risk' if they smoke one or more 20.2% 14.9% packs of cigarettes per day 'No risk at all' or 'slight risk' if they use RX drugs that have not been prescribed to them 14.0% 13.7% 'No risk at all' or 'slight risk' if they use synthetic drugs 9.5% 11.6%



'No risk at all' or 'slight risk' if they use any other illegal

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see https://dmh.mo.gov/ada/mobhew/

Data included in this report, excluding sample sizes, are weighted data. State level data uses a random sample. Please contact Susan Depue at susan.depue@mimh.edu with any questions.