

2016 Missouri Student Survey Webster County





2016	2016	2014
County Data	MO Data*	County Data

	•		,
Approximate Sample Size	210		140
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	0.0%	13.9%	14.8%
Grade level. 7th Grade	0.0%	14.4%	14.6%
Grade level. 8th Grade	0.0%	14.3%	22.8%
Grade level. 9th Grade	53.8%	15.2%	11.7%
Grade level. 10th Grade	16.4%	14.7%	10.4%
Grade level. 11th Grade	25.9%	13.9%	15.2%
Grade level. 12th Grade	3.8%	13.6%	10.4%
Male	55.3%	47.7%	48.4%
Hispanic or Latino	1.2%	2.1%	1.1%
Race, alone or in combination. Black or African Am.	0.7%	16.0%	1.7%
Race, alone or in combination. White	95.0%	78.8%	98.0%
Race, alone or in combination. Other	0.2%	1.2%	0.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

^{*}Missouri data reflects a random sample, weighted to proportionally reflect the state student population.


Substances: Past 30 days (% reflects "1+" answer)			
Used alcohol	19.4%	14.2%	15.2%
Used electronic cigarettes	20.3%	10.6%	11.5%
Used Rx not prescribed for you by a doctor	13.3%	10.0%	2.9%
Used tobacco (cigarettes or chew)	19.5%	9.9%	15.7%
Used marijuana	3.3%	7.0%	9.1%
Used hookahs or water pipes	1.3%	3.4%	8.8%
Used 'OTC' drugs for non-medical reasons	0.8%	2.2%	1.7%
Used inhalants	0.5%	1.1%	2.6%
Used synthetic drugs	0.3%	0.3%	2.9%

	2016 County Data	2016 MO Data *	2014 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.2%	1.1%	3.9%
Used cocaine or 'crack'	1.8%	0.9%	1.1%
Used 'club drugs' such as ecstasy	1.2%	0.8%	2.8%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.3%	1.1%
Used heroin or 'smack'	0.3%	0.2%	1.1%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	15.1%	29.0%	30.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.0%	5.9%	1.3%
Carried a weapon such as a gun, knife or club on school property	5.8%	4.0%	5.2%
Rode with someone who was drinking alcohol	14.9%	14.3%	12.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	32.6%	22.9%	29.1%
Posted something online or sent a text that might embarrass or hurt another student	9.5%	16.5%	14.8%
Made fun of other people	46.7%	54.1%	60.9%
Hit, shoved, or pushed another student and was not fooling around	16.1%	15.5%	20.7%
Behavior: Last 12 Months (% reflects "1+" answer)			
Been bullied on school property	39.2%	28.8%	23.5%
Were in a physical fight	13.8%	17.3%	23.7%
Been threatened or injured with a weapon such as a gun, knife or club on school property	5.3%	7.4%	4.6%
Considered suicide	16.8%	13.9%	12.0%
Planned suicide	15.8%	9.9%	8.5%
Attempted suicide	11.0%	6.3%	5.2%
Depression: Past Month (% reflects often + always)			
Was very sad	26.4%	22.7%	23.2%
Was grouchy or irritable, or in a bad mood	39.4%	33.6%	29.9%
Felt hopeless about the future	20.8%	13.5%	13.4%
Felt like not eating or eating more than usual	21.6%	21.7%	19.1%
Felt like sleeping a lot more or a lot less than usual	16.1%	24.8%	19.6%
Had difficulty concentrating on school work	45.1%	29.6%	22.7%

	2016 County Data	2016 MO Data *	2014 County Data
Perception of wrongness (% reflects wrong + very wrong))		
'Wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	80.2%	94.0%	94.1%
'Wrong' or 'very wrong' to use Cold/Cough Medicines or OTC meds to get high	87.7%	92.3%	91.2%
'Wrong' or 'very wrong' to have 5+ drinks, once or twice a week	82.7%	88.7%	78.0%
'Wrong' or 'very wrong' for you to smoke tobacco	72.2%	88.4%	77.2%
'Wrong' or 'very wrong' for you to take one or two drinks of an alcoholic beverage nearly every day	70.8%	86.8%	74.8%
'Wrong' or 'very wrong' for you to smoke marijuana once or twice a week	72.8%	81.1%	81.9%
'Wrong' or 'very wrong' to smoke e-cigarettes	67.2%	79.2%	unavailable
'Wrong' or 'very wrong' for you to smoke marijuana	70.8%	79.0%	77.1%
'Wrong' or 'very wrong' for you to have a drink of any type of alcohol	59.2%	68.1%	60.8%
Availability (% reflects very easy + sort of easy)			
'Very' or 'sort of easy' to get Cold/Cough Medicines or OTC medicines	61.4%	51.6%	49.7%
'Very' or 'sort of easy' to get alcohol	69.2%	50.7%	48.5%
'Very' or 'sort of easy' to get cigarettes	74.7%	46.0%	50.0%
'Very' or 'sort of easy' to get e-cigarettes	73.2%	43.1%	unavailable
'Very' or 'sort of easy' to get marijuana	52.0%	37.2%	36.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	47.8%	27.7%	25.4%
'Very' or 'sort of easy' to get synthetic drugs	24.2%	22.0%	20.2%
'Very' or 'sort of easy' to get other illegal drugs	15.7%	14.0%	17.8%
Perception of Coolness (% reflects pretty cool + very coo	<u>l)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	45.0%	24.9%	13.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.9%	24.8%	17.6%
Peers believe someone your age would be'pretty cool' or 'very cool' if they smoked e-cigarettes	33.0%	17.0%	unavailable
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.5%	9.1%	13.4%

7.0%

Perception of Harm (% reflects slight risk + no risk at all) NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk 'No risk at all' or 'slight risk' if they smoke e-cigarettes 59.6% 40.6% unavailable 'No risk at all' or 'slight risk' if they smoke marijuana 41.3% 28.3% once or twice a week 36.5% 'No risk at all' or 'slight risk' if they drink alcohol (no 36.0% 33.7% unavailable dosage specified) 'No risk at all' or 'slight risk' if they take one or two 37.2% 29.4% 35.9% drinks of an alcoholic beverage nearly every day 'No risk at all' or 'slight risk' if they use Cold/ Cough 20.8% 22.4% 10.9% Medicines or OTC medicines to get high 'No risk at all' or 'slight risk' if they have five or more 50.0% 21.5% 21.7% drinks of an alcoholic beverage once or twice a week 'No risk at all' or 'slight risk' if they smoke one or more 28.0% 14.9% 14.4% packs of cigarettes per day 'No risk at all' or 'slight risk' if they use RX drugs that have not been prescribed to them 16.4% 13.7% 7.9% 'No risk at all' or 'slight risk' if they use synthetic drugs 13.0% 11.6% 6.1% 'No risk at all' or 'slight risk' if they use any other illegal



Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see https://dmh.mo.gov/ada/mobhew/

Data included in this report, excluding sample sizes, are weighted data. State level data uses a random sample. Please contact Susan Depue at susan.depue@mimh.edu with any questions.