

# 2020 Missouri Student Survey Cooper County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	125	*	208
<b>Demographics (% reflects "yes" answer)</b>			
Grade level. 6th Grade	3.3%	12.9%	23.1%
Grade level. 7th Grade	71.3%	11.5%	10.8%
Grade level. 8th Grade	4.7%	11.8%	13.9%
Grade level. 9th Grade	9.3%	13.6%	8.6%
Grade level. 10th Grade	8.0%	17.4%	16.4%
Grade level. 11th Grade	3.3%	17.8%	16.7%
Grade level. 12th Grade	0.0%	15.0%	10.5%
Male	54.3%	50.5%	52.0%
Hispanic or Latino	0.7%	1.5%	1.3%
Race: Black or African American	6.0%	13.3%	7.7%
Race: White	90.0%	79.5%	88.0%
Race: Multiracial	2.7%	5.3%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

\*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

## **Substances: Past 30 Days (% reflects "1+" answer)**

Used tobacco (cigarettes or chew)	4.7%	5.3%	12.3%
Used electronic cigarettes	5.4%	15.5%	11.4%
Used hookahs or water pipes	0.7%	1.9%	2.5%
Used alcohol	10.3%	17.0%	20.9%
Used marijuana	0.7%	8.9%	3.5%
Used inhalants	1.4%	1.0%	1.9%
Used Rx not prescribed for you by a doctor	9.0%	6.3%	7.8%
Used `OTC` to get high	4.2%	2.0%	3.9%
Used synthetic drugs	0.0%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<b><u>Substances: Ever in your life (% reflects "1+" answer)</u></b>			
Used cocaine or `crack`	0.0%	1.2%	1.7%
Used heroin or `smack`	0.0%	0.3%	1.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	2.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.7%	1.0%	1.0%
<b><u>Behavior: Last 30 Days (% reflects "1+" answer)</u></b>			
Missed whole day(s) of school because you skipped or cut	29.7%	30.1%	39.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.3%	5.9%	7.7%
Rode with someone who was drinking alcohol	17.0%	17.0%	21.2%
<b><u>Behavior: Last 3 Months (% reflects "1+" answer)</u></b>			
Spread mean rumors or lies about other kids at school	25.8%	16.2%	22.3%
Posted something online or sent a text that might embarrass or hurt another student	16.0%	15.7%	12.2%
Made fun of other people	45.0%	47.2%	43.3%
Hit, shoved or pushed another student and was not just fooling around	25.2%	12.4%	15.7%
<b><u>Behavior: Last 12 Months (% reflects "1+" answer)</u></b>			
Been bullied on school property	33.1%	26.2%	23.0%
Was in a physical fight	30.0%	15.9%	31.8%
Been threatened or injured with a weapon on school property	23.8%	6.7%	8.9%
Seriously considered suicide	19.7%	11.1%	9.7%
Planned suicide	22.1%	8.6%	8.1%
Attempted suicide	10.1%	4.9%	4.0%
<b><u>Depression Scale (% often or always in Past Month)</u></b>			
Was very sad	40.4%	25.3%	20.6%
Was grouchy or irritable, or in a bad mood	36.9%	33.4%	33.2%
Felt hopeless about the future	23.0%	15.5%	10.2%
Felt like not eating or eating more than usual	31.5%	21.1%	20.2%
Felt like sleeping a lot more or a lot less than usual	35.3%	32.6%	29.5%
Had difficulty concentrating on school work	47.3%	32.1%	30.2%

	2020 County Data	2020 MO Data	2018 County Data
<b>Parents' perception of wrongness (% reflects wrong + very wrong)</b>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	91.8%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.3%	93.4%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.6%	92.5%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	96.2%	96.2%
<b>Friends' perception of wrongness (% reflects wrong + very wrong)</b>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.3%	87.7%	75.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.7%	84.9%	68.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.4%	75.6%	72.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.1%	94.5%	89.6%
<b>Perception of Availability (% very easy + sort of easy)</b>			
'Very' or 'sort of easy' to get cigarettes	30.4%	39.5%	51.6%
'Very' or 'sort of easy' to get alcohol	54.8%	52.3%	58.5%
'Very' or 'sort of easy' to get marijuana	22.1%	38.0%	28.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.8%	21.1%	23.2%
<b>Friends' perception of coolness (% reflects pretty cool + very cool)</b>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.3%	10.1%	4.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.0%	26.3%	11.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.7%	27.5%	24.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.6%	25.9%	12.0%

	2020 County Data	2020 MO Data	2018 County Data
<b><u>Perception of Harm (% reflects slight risk + no risk at all)</u></b>			
'No' or 'slight risk' if they smoke e-cigarettes	35.6%	33.2%	38.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	26.4%	18.9%	20.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	49.3%	46.5%	34.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.9%	35.1%	34.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.3%	24.2%	30.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.8%	39.2%	36.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	22.6%	9.6%	13.5%
'No' or 'slight risk' if they use synthetic drugs	25.7%	13.2%	14.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	34.9%	23.4%	26.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	21.9%	14.2%	16.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact [Susan.Depue@mimh.edu](mailto:Susan.Depue@mimh.edu). State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



# Thank You!

Your Participation in the  
Missouri Student Survey  
is appreciated!